

## Short Banjo Bold







| Code | A | B | C | L | CH |
|---|---|---|---|---|---|
| D7-5M-L | M5 | 4 | 12.5 | 22 | 8 |
| D7-6M | M6 | 5 | 12.5 | 23 | 8 |
| D7-1/8 | 1/8" | 6 | 15 | 28 | 14 |
| D7-1/4 | 1/4" | 8 | 17 | 32 | 17 |
| D7-3/8 | 3/8" | 9 | 20 | 36 | 19 |
| D7-1/2 | 1/2" | 10 | 24 | 42 | 24 |
| D7-M12X1.5 | M12 x 1.5 | 8 | 17 | 32 | 17 |







| Code | A | B | C | L | CH |
|---|---|---|---|---|---|
| D8-1/8 | 1/8" | 6 | 15 | 44.5 | 14 |
| D8-1/4 | 1/4" | 8 | 17 | 50.5 | 17 |
| D8-3/8 | 3/8" | 9 | 20 | 58 | 19 |
| D8-1/2 | 1/2" | 10 | 24 | 68 | 24 |






| Code | A | B | C | L | CH |
|---|---|---|---|---|---|
| D13-1/4 | 1/4" | 8 | 17 | 69 | 17 |
| D13-1/2 | 1/2" | 10 | 24 | 94 | 24 |

## Aluminium Washer





| Code | Size | A | B | H |
|---|---|---|---|---|
| D11-5M | M5 | 5.2 | 8 | 1 |
| D11-1/8 | 1/8" | 10 | 14 | 1.5 |
| D11-1/4 | 1/4" | 13.5 | 18 | 1.5 |
| D11-3/8 | 3/8" | 16.8 | 21 | 1.5 |
| D11-1/2 | 1/2" | 21.1 | 26 | 1.5 |
| D11-3/4 | 3/4" | 27.1 | 32.8 | 1.5 |
| D11-1 | 1" | 33.3 | 39.8 | 1.5 |
| D11-11/2 | 1.1/2" | 48.5 | 54.8 | 1.5 |
| D11-2 | 2" | 59.5 | 72 | 1.5 |

# Brass Quick-Fit Fittings

KELMK™ Enhanced Quality Performance

## Technical Characteristics






## Component Parts & Materials

**1** Nickel-plated Brass Nut
**2** Nickel-plated Brass Body
**3** NBR 70 O-RING Seals
**4** Bronze Seeger
**5** Nickel-plated Brass Base

***UNDER NO CIRCUMSTANCES, THE "SWIVEL" FITTINGS CAN BE USED AS REVOLVING JOINTS.***

## Pressures & Temperatures

The working pressures and working temperatures depend on which type of tube is used, for this reason, the values must be determined in accordance with the tube's features.
For the "swivel and thread with O-RING" fittings, the values are:

### Pressures

**Minimum pressure:** -0.99 bar (-0.099 MPa)
**Maximum pressure:** 15 bar (1.5 MPa)

### Temperatures

**Minimum temperature:** -20 °C
**Maximum temperature:** +80 °C

### Threads

Tapered gas in conformity with ISO7.1, BS 21, DIN 2999.
Parallel gas in conformity with ISO 228 Class A.
Metric in conformity with ISO R/262.


### Fluids

Compressed air. Fluids and liquids at low pressure compatible with the connection.

### Connection Tubes

**Plastic tubes:**
PA6, PA11, PA12, Polyethylene, Polyurethane, PEF, PTFE.

### Assembling



**1**
Insert the tube on the nut.

**2**
Thread the tube on the fitting cone.


**3**
Tighten the nut by hand or with a spanner.

# Brass Quick-Fit Fittings


KELMK™ Enhanced Quality Performance


## Male Studs






| Code | Tube | A | B | L | CH |
|---|---|---|---|---|---|
| C1-4/2.7-1/8 | 4/2.7 | 1/8" | 7.5 | 23.5 | 12 |
| C1-5/3-1/8 | 5/3 | 1/8" | 7.5 | 23 | 12 |
| C1-6/4-1/8 | 6/4 | 1/8" | 7.5 | 25.6 | 12 |
| C1-6/4-1/4 | 6/4 | 1/4" | 11 | 29.6 | 14 |
| C1-6/4-3/8 | 6/4 | 3/8" | 11.5 | 30 | 17 |
| C1-8/6-1/8 | 8/6 | 1/8" | 7.5 | 26.9 | 14 |
| C1-8/6-1/4 | 8/6 | 1/4" | 11 | 30.9 | 14 |
| C1-8/6-3/8 | 8/6 | 3/8" | 11.5 | 31.4 | 17 |
| C1-8/6-1/2 | 8/6 | 1/2" | 14 | 34 | 22 |
| C1-10/8-1/8 | 10/8 | 1/8" | 7.5 | 29 | 14 |
| C1-10/8-1/4 | 10/8 | 1/4" | 11 | 33 | 14 |
| C1-10/8-3/8 | 10/8 | 3/8" | 11.5 | 33.5 | 17 |
| C1-10/8-1/2 | 10/8 | 1/2" | 14 | 36.5 | 22 |
| C1-12/10-3/8 | 12/10 | 3/8" | 11.5 | 35 | 17 |
| C1-12/10-1/2 | 12/10 | 1/2" | 14 | 38 | 22 |
| C1-15/12.5-1/2 | 15/12.5 | 1/2" | 14 | 40 | 22 |







| Code | Tube | A | B | L | CH |
|---|---|---|---|---|---|
| C1Z-4/2.7-5M | 4/2.7 | M5 | 4 | 20.5 | 8 |
| C1Z-4/2.7-6M | 4/2.7 | M6 | 5 | 21.5 | 8 |
| C1Z-4/2.7-1/8 | 4/2.7 | 1/8" | 6 | 23 | 13 |
| C1Z-5/3-5M | 5/3 | M5 | 4 | 23.1 | 8 |
| C1Z-5/3-6M | 5/3 | M6 | 5 | 23.1 | 8 |
| C1Z-5/3-1/8 | 5/3 | 1/8" | 6 | 25.1 | 13 |
| C1Z-6/4-5M | 6/4 | M5 | 4 | 23.1 | 8 |
| C1Z-6/4-6M | 6/4 | M6 | 5 | 23.1 | 8 |
| C1Z-6/4-1/8 | 6/4 | 1/8" | 6 | 25.1 | 13 |
| C1Z-6/4-1/4 | 6/4 | 1/4" | 8 | 28.1 | 16 |
| C1Z-6/4-3/8 | 6/4 | 3/8" | 9 | 29.1 | 19 |
| C1Z-6/4-1/2 | 6/4 | 1/2" | 10 | 32 | 24 |
| C1Z-8/6-1/8 | 8/6 | 1/8" | 6 | 26.4 | 14 |
| C1Z-8/6-1/4 | 8/6 | 1/4" | 8 | 29.4 | 16 |
| C1Z-8/6-3/8 | 8/6 | 3/8" | 9 | 30.4 | 19 |
| C1Z-10/8-1/8 | 10/8 | 1/8" | 6 | 28.5 | 14 |
| C1Z-10/8-1/4 | 10/8 | 1/4" | 8 | 31.5 | 16 |
| C1Z-10/8-3/8 | 10/8 | 3/8" | 9 | 32.5 | 19 |
| C1Z-10/8-1/2 | 10/8 | 1/2" | 10 | 34.5 | 24 |
| C1Z-12/10-3/8 | 12/10 | 3/8" | 9 | 34 | 19 |
| C1Z-12/10-1/2 | 12/10 | 1/2" | 10 | 36 | 24 |


## Swivel Male Studs






| Code | Tube | A | B | L | CH1 | CH2 |
|---|---|---|---|---|---|---|
| C1X-6/4-1/4 | 6/4 | 1/4" | 11 | 40 | 14 | 15 |
| C1X-8/6-1/8 | 8/6 | 1/8" | 7.5 | 33.5 | 12 | 13 |
| C1X-8/6-1/4 | 8/6 | 1/4" | 11 | 40 | 14 | 15 |
| C1X-10/8-1/4 | 10/8 | 1/4" | 11 | 41 | 14 | 15 |
| C1X-12/8-3/8 | 12/8 | 3/8" | 11.5 | 43.5 | 17 | 17 |
| C1X-12/10-3/8 | 12/10 | 3/8" | 11.5 | 43.5 | 17 | 17 |







| Code | Tube | A | B | L | CH1 | CH2 |
|---|---|---|---|---|---|---|
| C1Y-6/4-1/8 | 6/4 | 1/8" | 6 | 34 | 12 | 13 |
| C1Y-6/4-1/4 | 6/4 | 1/4" | 8 | 38 | 14 | 16 |
| C1Y-8/6-1/8 | 8/6 | 1/8" | 6 | 34 | 12 | 13 |
| C1Y-8/6-1/4 | 8/6 | 1/4" | 8 | 38 | 14 | 16 |
| C1Y-10/8-1/4 | 10/8 | 1/4" | 8 | 39 | 14 | 16 |

## Straight Connector - Equal & Unequal







| Code | Tube | Tube | L | CH |
|---|---|---|---|---|
| C3-4/2.7 | 4/2.7 | 4/2.7 | 27.5 | 8 |
| C3-5/3 | 5/3 | 5/3 | 31.7 | 8 |
| C3-6/4-5/3 | 6/4 | 5/3 | 32.2 | 12 |
| C3-6/4 | 6/4 | 6/4 | 32.2 | 12 |
| C3-8/6-6/4 | 8/6 | 6/4 | 33.5 | 12 |
| C3-8/6 | 8/6 | 8/6 | 34.8 | 12 |
| C3-10/8-8/6 | 10/8 | 8/6 | 36.9 | 14 |
| C3-10/8 | 10/8 | 10/8 | 39 | 14 |
| C3-12/10 | 12/10 | 12/10 | 43 | 17 |
| C3-15/12.5 | 15/12.5 | 15/12.5 | 47 | 22 |

## Locking Nut







| Code | Tube | A | L | CH |
|---|---|---|---|---|
| C10-4/2.7-M6 | 4/2.7 | M6 x 0.5 | 9 | 7 |
| C10-5/3-M7 | 5/3 | M7 x 0.75 | 11 | 8 |
| C10-6/4-M8 | 6/4 | M8 x 0.75 | 11 | 8 |
| C10-6/4-M10 | 6/4 | M10 x 1 | 11 | 10 |
| C10-8/6-M12 | 8/6 | M12 x 1 | 11.5 | 12 |
| C10-10/8-M14 | 10/8 | M14 x 1 | 13.5 | 14 |
| C10-15/12.5-M20 | 15/12.5 | M20 x 1 | 16 | 19 |

## Female Stud







| Code | Tube | A | B | L | CH |
|---|---|---|---|---|---|
| C2-6/4-1/8 | 6/4 | 1/8" | 8.5 | 23.3 | 14 |
| C2-6/4-1/4 | 6/4 | 1/4" | 11 | 27 | 17 |
| C2-6/4-3/8 | 6/4 | 3/8" | 11.5 | 28 | 22 |
| C2-8/6-1/8 | 8/6 | 1/8" | 8 | 24.7 | 14 |
| C2-8/6-1/4 | 8/6 | 1/4" | 11 | 28.7 | 17 |
| C2-8/6-3/8 | 8/6 | 3/8" | 11.5 | 29.2 | 22 |
| C2-8/6-1/2 | 8/6 | 1/2" | 15.5 | 33 | 24 |
| C2-10/8-1/4 | 10/8 | 1/4" | 11 | 30.5 | 17 |
| C2-10/8-3/8 | 10/8 | 3/8" | 11.5 | 31 | 22 |
| C2-10/8-1/2 | 10/8 | 1/2" | 15.5 | 34.5 | 24 |
| C2-12/10-3/8 | 12/10 | 3/8" | 11.5 | 32.5 | 22 |

## Bulkhead Connector







| Code | Tube | A | L | CH |
|---|---|---|---|---|
| C4-4/2.7 | 4/2.7 | M6 x 0.5 | 35 | 10 |
| C4-5/3 | 5/3 | M7 x 0.75 | 35 | 10 |
| C4-6/4-5/3 | 6/4-5/3 | M10 x 1 | 45.5 | 14 |
| C4-6/4 | 6/4 | M10 x 1 | 45.5 | 14 |
| C4-8/6-6/4 | 8/6-6/4 | M12 x 1 | 47.3 | 17 |
| C4-8/6 | 8/6 | M12 x 1 | 48.4 | 17 |
| C4-10/8 | 10/8 | M14 x 1 | 52 | 17 |
| C4-12/10 | 12/10 | M16 x 1 | 57 | 19 |


## Male Studs, Spring Guard






| Code | Tube | A | B | L | CH |
|---|---|---|---|---|---|
| E1-6/4-1/8 | 6/4 | 1/8" | 7.5 | 108 | 12 |
| E1-6/4-1/4 | 6/4 | 1/4" | 11 | 112.5 | 14 |
| E1-8/6-1/4 | 8/6 | 1/4" | 11 | 118 | 14 |
| E1-8/6-3/8 | 8/6 | 3/8" | 11.5 | 119 | 17 |
| E1-8/6-1/2 | 8/6 | 1/2" | 14 | 121 | 22 |
| E1-10/8-1/8 | 10/8 | 1/8" | 7.5 | 122 | 14 |
| E1-10/8-1/4 | 10/8 | 1/4" | 11 | 126 | 14 |
| E1-10/8-3/8 | 10/8 | 3/8" | 11.5 | 127 | 17 |
| E1-10/8-1/2 | 10/8 | 1/2" | 14 | 130 | 22 |







| Code | Tube | A | B | L | CH |
|---|---|---|---|---|---|
| E1Z-6/4-1/8 | 6/4 | 1/8" | 6 | 109 | 13 |
| E1Z-6/4-1/4 | 6/4 | 1/4" | 8 | 111 | 16 |
| E1Z-6/4-1/2 | 6/4 | 1/2" | 10 | 114 | 24 |
| E1Z-8/6-1/4 | 8/6 | 1/4" | 8 | 116.5 | 16 |
| E1Z-8/6-1/2 | 8/6 | 1/2" | 10 | 119.5 | 24 |
| E1Z-10/8-3/8 | 10/8 | 3/8" | 9 | 125.5 | 19 |
| E1Z-12/10-3/8 | 12/10 | 3/8" | 9 | 133 | 19 |

## Locking Nut & Spring







| Code | Tube | A | D | L1 | L2 | CH |
|---|---|---|---|---|---|---|
| C10X-6/4 | 6/4 | M10 x 1 | 9.4 | 93 | 20 | 11 |
| C10X-8/6 | 8/6 | M12 x 1 | 11.4 | 98.5 | 21 | 13 |
| C10X-10/8 | 10/8 | M14 x 1 | 13.4 | 107 | 24 | 14 |
| C10X-12/10 | 12/10 | M16 x 1 | 16 | 116.5 | 27.5 | 17 |

## Straight Female Adaptors







| Code | Tube | A | B | L | CH |
|---|---|---|---|---|---|
| C2X-6/4-1/4 | 6/4 | 1/4" | 11 | 109 | 17 |
| C2X-6/4-3/8 | 6/4 | 3/8" | 11.5 | 110 | 22 |
| C2X-8/6-1/4 | 8/6 | 1/4" | 11 | 115.5 | 17 |
| C2X-8/6-3/8 | 8/6 | 3/8" | 11.5 | 116 | 22 |
| C2X-10/8-1/2 | 10/8 | 1/2" | 15.5 | 128.5 | 24 |


## Swivel Male Studs, Spring Guard






| Code | Tube | A | B | L | CH1 | CH2 |
|---|---|---|---|---|---|---|
| E1X-6/4-1/8 | 6/4 | 1/8" | 7.5 | 117.5 | 12 | 13 |
| E1X-6/4-1/4 | 6/4 | 1/4" | 11 | 121 | 14 | 15 |
| E1X-8/6-1/4 | 8/6 | 1/4" | 11 | 128 | 14 | 15 |
| E1X-10/6.5-1/4 | 10/6.5 | 1/4" | 11 | 135 | 14 | 15 |
| E1X-10/8-1/4 | 10/8 | 1/4" | 11 | 136 | 14 | 15 |
| E1X-12/8-3/8 | 12/8 | 3/8" | 11.5 | 144 | 17 | 17 |







| Code | Tube | A | B | L | CH1 | CH2 |
|---|---|---|---|---|---|---|
| E1X-6/4-1/8 | 6/4 | 1/8" | 7.5 | 117.5 | 12 | 13 |
| E1X-6/4-1/4 | 6/4 | 1/4" | 11 | 121 | 14 | 15 |
| E1X-8/6-1/4 | 8/6 | 1/4" | 11 | 128 | 14 | 15 |
| E1X-10/6.5-1/4 | 10/6.5 | 1/4" | 11 | 135 | 14 | 15 |
| E1X-10/8-1/4 | 10/8 | 1/4" | 11 | 136 | 14 | 15 |
| E1X-12/8-3/8 | 12/8 | 3/8" | 11.5 | 144 | 17 | 17 |

## Male Studs Elbow







| Code | Tube | A | B | L1 | L2 | CH |
|---|---|---|---|---|---|---|
| C5-4/2.7-1/8 | 4/2.7 | 1/8" | 7.5 | 19.5 | 15 | 8 |
| C5-5/3-1/8 | 5/3 | 1/8" | 7.5 | 19.5 | 15 | 8 |
| C5-6/4-1/8 | 6/4 | 1/8" | 7.5 | 19.5 | 15 | 8 |
| C5-6/4-1/4 | 6/4 | 1/4" | 11 | 20.6 | 19 | 8 |
| C5-6/4-3/8 | 6/4 | 3/8" | 11.5 | 21 | 21 | 9 |
| C5-8/6-1/8 | 8/6 | 1/8" | 7.5 | 19.9 | 16.5 | 9 |
| C5-8/6-1/4 | 8/6 | 1/4" | 11 | 21.9 | 19 | 9 |
| C5-8/6-3/8 | 8/6 | 3/8" | 11.5 | 23.4 | 21 | 9 |
| C5-8/6-1/2 | 8/6 | 1/2" | 14 | 26 | 28 | 16 |
| C5-10/8-1/8 | 10/8 | 1/8" | 7.5 | 25 | 18 | 11 |
| C5-10/8-1/4 | 10/8 | 1/4" | 11 | 24 | 22 | 11 |
| C5-10/8-3/8 | 10/8 | 3/8" | 12.5 | 25.5 | 22.5 | 11 |
| C5-10/8-1/2 | 10/8 | 1/2" | 14 | 28 | 28 | 16 |
| C5-12/10-3/8 | 12/10 | 3/8" | 11.5 | 27 | 22.5 | 13 |
| C5-12/10-1/2 | 12/10 | 1/2" | 14 | 30 | 28 | 16 |
| C5-15/12.5-1/2 | 15/12.5 | 1/2" | 14 | 31.5 | 28 | 16 |

## Equal Elbow







| Code | Tube | L | CH |
|---|---|---|---|
| C6-6/4 | 6/4 | 20.6 | 8 |
| C6-8/6 | 8/6 | 21.9 | 9 |
| C6-10/8 | 10/8 | 25.5 | 11 |
| C6-12/10 | 12/10 | 27 | 13 |

## Female Stud Elbow







| Code | Tube | A | B | L1 | L2 | CH |
|---|---|---|---|---|---|---|
| C5F-5/3-1/8 | 5/3 | 1/8" | 8.5 | 20.6 | 18 | 8 |
| C5F-6/4-1/8 | 6/4 | 1/8" | 8.5 | 20.6 | 18 | 8 |
| C5F-6/4-1/4 | 6/4 | 1/4" | 10.5 | 21 | 21 | 9 |
| C5F-8/6-1/8 | 8/6 | 1/8" | 8.5 | 21.9 | 19 | 9 |
| C5F-8/6-1/4 | 8/6 | 1/4" | 10.5 | 23.4 | 21 | 9 |
| C5F-10/8-1/4 | 10/8 | 1/4" | 10.5 | 25.5 | 22.5 | 11 |
| C5F-10/8-3/8 | 10/8 | 3/8" | 11.5 | 28 | 27 | 16 |


## Swivel Male Stud Elbows






| Code | Tube | A | B | L1 | L2 | CH | CH2 |
|---|---|---|---|---|---|---|---|
| C5X-6/4-1/8 | 6/4 | 1/8" | 7.5 | 20.6 | 22.5 | 8 | 13 |
| C5X-6/4-1/4 | 6/4 | 1/4" | 11 | 20.6 | 28 | 8 | 15 |
| C5X-8/6-1/8 | 8/6 | 1/8" | 7.5 | 21.6 | 22.5 | 9 | 13 |
| C5X-8/6-1/4 | 8/6 | 1/4" | 11 | 23.1 | 28.5 | 9 | 15 |
| C5X-10/8-1/4 | 10/8 | 1/4" | 11 | 24 | 30.5 | 11 | 15 |







| Code | Tube | A | B | L1 | L2 | CH | CH2 |
|---|---|---|---|---|---|---|---|
| C5Y-6/4-1/8 | 6/4 | 1/8" | 6 | 20.6 | 22 | 8 | 13 |
| C5Y-6/4-1/4 | 6/4 | 1/4" | 8 | 20.6 | 26 | 8 | 16 |
| C5Y-8/6-1/8 | 8/6 | 1/8" | 6 | 21.6 | 21.6 | 9 | 13 |
| C5Y-8/6-1/4 | 8/6 | 1/4" | 8 | 23.1 | 26.5 | 9 | 16 |
| C5Y-10/8-1/4 | 10/8 | 1/4" | 8 | 24 | 27.5 | 11 | 16 |

## Equal Cross







| Code | Tube | L | CH |
|---|---|---|---|
| C11-6/4 | 6/4 | 41.6 | 8 |
| C11-8/6 | 8/6 | 44.4 | 9 |
| C11-12/10 | 12/10 | 58 | 13 |
| C11-15/12.5 | 15/12.5 | 64 | 17 |


## Male Branch Tee - Off-set Leg







| Code | Tube | A | B | L1 | L2 | CH |
|---|---|---|---|---|---|---|
| C8-6/4-1/8 | 6/4 | 1/8" | 7.5 | 36.7 | 20.6 | 8 |
| C8-6/4-1/4 | 6/4 | 1/4" | 11 | 40.2 | 20.6 | 8 |
| C8-8/6-1/8 | 8/6 | 1/8" | 7.5 | 38 | 21.9 | 9 |
| C8-8/6-1/4 | 8/6 | 1/4" | 11 | 41.5 | 21.9 | 9 |
| C8-10/8-1/4 | 10/8 | 1/4" | 11 | 43 | 25.5 | 11 |
| C5F-10/8-1/4 | 10/8 | 1/4" | 10.5 | 25.5 | 22.5 | 11 |
| C5F-10/8-3/8 | 10/8 | 3/8" | 11.5 | 28 | 27 | 16 |






| Code | Tube | A | B | L1 | L2 | CH1 | CH2 |
|---|---|---|---|---|---|---|---|
| C7X-6/4-1/8 | 6/4 | 1/8" | 7.5 | 41.2 | 22.5 | 8 | 13 |
| C7X-6/4-1/4 | 6/4 | 1/4" | 11 | 41.2 | 28 | 8 | 15 |
| C7X-8/6-1/8 | 8/6 | 1/8" | 7.5 | 43.2 | 29.5 | 9 | 15 |
| C7X-8/6-1/4 | 8/6 | 1/4" | 11 | 43.2 | 29.5 | 9 | 15 |







| Code | Tube | A | B | L1 | L2 | CH1 | CH2 |
|---|---|---|---|---|---|---|---|
| C7Y-6/4-1/8 | 6/4 | 1/8" | 6 | 41.2 | 22 | 8 | 13 |
| C7Y-8/6-1/8 | 8/6 | 1/8" | 6 | 43.2 | 24 | 9 | 13 |
| C7Y-8/6-1/4 | 8/6 | 1/4" | 8 | 43.2 | 27.5 | 9 | 16 |

## Equal Tee







| Code | Tube | L1 | L2 | CH |
|---|---|---|---|---|
| C9-4/2.7 | 4/2.7 | 40 | 20.5 | 8 |
| C9-5/3 | 5/3 | 41.2 | 20.6 | 8 |
| C9-6/4 | 6/4 | 41.2 | 20.6 | 8 |
| C9-8/6 | 8/6 | 43.8 | 21.9 | 9 |
| C9-10/8 | 10/8 | 51 | 25.5 | 11 |
| C9-12/10 | 12/10 | 54 | 28 | 13 |
| C9-15/12.5 | 15/12.5 | 63 | 32.5 | 16 |

## Male Stud Tee - Centre Leg







| Code | Tube | A | B | L1 | L2 | CH |
|---|---|---|---|---|---|---|
| C7-4/2.7-1/8 | 4/2.7 | 1/8" | 7.5 | 37 | 15.5 | 8 |
| C7-6/4-1/8 | 6/4 | 1/8" | 7.5 | 39 | 15.5 | 8 |
| C7-6/4-1/4 | 6/4 | 1/4" | 11 | 41.2 | 19 | 8 |
| C7-8/6-1/8 | 8/6 | 1/8" | 7.5 | 39.8 | 16.5 | 9 |
| C7-8/6-1/4 | 8/6 | 1/4" | 11 | 43.8 | 20.5 | 9 |
| C7-10/8-1/4 | 10/8 | 1/4" | 11 | 48 | 22 | 11 |
| C7-12/10-3/8 | 12/10 | 3/8" | 11.5 | 54 | 22.5 | 14 |
| C7-15/12.5-1/2 | 15/12.5 | 1/2" | 14 | 63 | 28 | 16 |

## Double Banjo Body - Quick-Fit







| Code | Tube | A | D | S | L |
|---|---|---|---|---|---|
| D6-4/2.7-1/8 | 4/2.7 | 1/8" | 14 | 15 | 43 |
| D6-5/3-5M | 5/3 | M5 | 9 | 12.5 | 43 |
| D6-8/6-1/8 | 8/6 | 1/8" | 14 | 15 | 49.4 |
| D6-8/6-1/4 | 8/6 | 1/4" | 18 | 17 | 55.2 |
| D6-8/6-3/8 | 8/6 | 3/8" | 21 | 20 | 55 |
| D6-8/6-1/2 | 8/6 | 1/2" | 26 | 24 | 61 |
| D6-10/8-1/8 | 10/8 | 1/8" | 14 | 15 | 53 |
| D6-10/8-1/2 | 10/8 | 1/2" | 26 | 24 | 66 |
| D6-15/12.5-1/2 | 15/12.5 | 1/2" | 26 | 24 | 73 |

## Nylon Notched Washer






| Code | Size | A | B | H |
|---|---|---|---|---|
| D11X-5M | M5 | 5.2 | 8 | 1 |
| D11X-6M | M6 | 6.1 | 9 | 1.3 |
| D11X-1/8 | 1/8" | 10 | 14 | 1.5 |
| D11X-1/4 | 1/4" | 13.5 | 18 | 1.5 |
| D11X-3/8 | 3/8" | 16.8 | 21 | 1.5 |
| D11X-1/2 | 1/2" | 21.1 | 26 | 2 |
| D11X-3/4 | 3/4" | 27 | 32 | 2.5 |